





Name : KIAAN
Lab No. : 489904586
Ref By : DR MANISH SHARMA
Collected : 30/11/2025 10:03:00AM
A/c Status : P
Collected at : LPL - PUSHPANJALI HOSPITAL (CGHS)
DELHI GATE, HARIPARWAT, AGRA-282002
AGRA

Age : 2 Years
Gender : Male
Reported : 30/11/2025 12:04:17PM
Report Status : Final
Processed at : Dr. Lal Path Labs Ltd
Delhi Gate ,Agra 282002

ID : 316193/FF-PICU/

Test Report

Test Name	Results	Units	Bio. Ref. Interval
CREATININE, SERUM (Compensated Jaffe's reaction, IDMS traceable)			
Creatinine	0.37	mg/dL	0.30 - 0.70

Note

- GFR, estimated (eGFR) calculated using the 2021 CKD-EPI creatinine equation and GFR Category reported as per KDIGO guideline 2012.
- eGFR category G1 or G2 does not fulfil the criteria for CKD, in the absence of evidence of kidney damage

Authenticity assured - scan the QR code to access the original report from our verified database



Address: ...
 Name: ...
 Date: ...

W.T- 15 KU
 R.B.S- 81mg/2L

PHRC/HPD/MC/006

Medication Chart

01/12/2025

Medication	NID	Dose	Route	Frequency	Recommended Time	Actual Time	Nursing Sign.
I. PIPZO (D-4) + NS 30ml		1.125 gm	IV	8 HRLY	8 AM	8 AM	pt nurse
					4 PM		
					12 MN		
II. MIKACIN (D-4)		0.8 mL	IV	12 HRLY	HOLD		
III. ACILOC		1 mL	IV	12 HRLY	6 AM	6 AM	Krishna 161
					6 PM		
IV. SUMOL		20 mL	IV	8 HRLY	8 AM	6 AM (severe)	Krishna 161
					4 PM		
					12 MN		
V. SYLATE		0.6 mL	IV	12 HRLY	10 AM	10 AM	pt nurse
					10 PM		
VI. DROTIN-DS		5 mL	PO	12 HRLY	10 AM		
					10 PM		
VII. SOLITEN		2 mL	PO	24 HRLY HS	10 PM		
f. RL OI / ISO-POI				IV 24 HRLY			

and Checked By ... Krishna 161

Name & Signature of In-charge Nurse ...



MR NO: 316193		IPD NO: IP2514932	
Name :-	MAST- KHAAN	DOA :-	28-11-2023 / 8:41AM
Guardian :-	S/O ANIL KUMAR	DOD :-	
Age & sex :-	2 Y / M	Ward :-	PICU
Address :-	TEAP KHARGA THANA IRADAT NAGAR AGRA	Bed :-	04/PICU -IV
Contact :-		Referred Dr :-	Dr.SELF
Company :-	Police Department	Category:-	CGHS 2025
Specialty 1 :	SHARMA (M. Chl.	Specialty 2:-	Dr.
		Specialty 3:-	Dr.

Plan of Care

Investigations	Request
Blood	for all labile PT APTT
Urine	
X-ray	
USG	
CT Scan / MRI	
ECHO / Others	

Medication Chart (Capital Letters)

S.No.	Name of Drugs	Dose	Frequency	Route
1	ins. Pils	1.125 mg + 1.125 mg		IV TDS.
2	ins. miracin	(250) 0.8-1		IV BD
3	ins. Atiloz	2-1		IV BD
4	ins. Sumel	20-1		IV TDS.
5	ins. Kivity	5-2		IV Stat
6	metformin			
7	GTIMLC			
8	IVF a-L	0.1		iv 24hs.
	Isol	0.1		Each ant.
	+ ins. cantramel 2-1			

EMERGENCY INITIAL
ASSESSMENT FORM

Address:
Phone:
Mobile:
Email:
Website:
NABH Accredited

Patient Name: manoj kumar Age/Sex: 3.4 YS Date: 26/11/2014 Time: 7 AM

Wound Category: Red ☐ Yellow ☐ Green ☐ Black ☐

Pain Scale:
Moderate Pain
Worst Pain
MLC: Yes ☐ No ☐
MLC No:


General Assessment:
Arrival date & time: Time Seen by ER Physician:
Referred by Doctor: Follow up case of Doctor:

Complaint: Scald Burn injury with Today morning
 Hot water 7 AM
 Highly Irritability

Primary Survey

Breathing		Circulation	
Airway		Skin: <u>Pink</u>	Pale
Patient	RR: <u>28</u> /min	Membrane: <u>Flush</u>	Jaundiced Ashen Cyanotic
Obstructed	Symmetrical: Yes No	Pulse Rate: <u>130</u> /min	Rhythm: Regular Irregular
Protected	Labored: Yes No	Normal, Site: <u> </u>	
Maintained	Trachea Midline: Yes No	Bounding, Site: <u> </u>	
Compromised	Crepitations: Yes No	Weak, Site: <u> </u>	
	Wheeze: Yes No	Absent, Site: <u> </u>	
	SpO2 <u>96</u> % on RA	Skin Temp: Warm Hot Cold	
	Spo2 <u> </u> % on <u> </u> lt/min	Skin Moisture: WNL Dry Moist	
	O2 By Nasal Prong O Mask	Visible bleeding: Yes No	
	NRBM NIV Ventilator	Site: <u> </u>	
		BP: <u>90/60</u> MM of Hg	
		Temp: <u>98.4</u> °F/C	
Management:	Management:	Management:	
Suction	O2 Therapy	Intravenous Fluids	
HTCL JT	BVM NIV IV	Inotropes/Vasopressors	
OTA NPA	Chest Tube (ICD)	Compression Bandage	
LMA ET	Other: <u> </u>		

Cardiac monitor: AVPU
CSE: 4 V 5 M 6 /15; Weight: 15 kg; Pupils: PERLA / 6/1 Reactive MS



Pushpanjali Palace, Delhi Gate, Agra | Phone: 0562-4024000
e-mail: info@pushpanjalihospital.in | www.pushpanjalihospital.in

Vital Signs and Intake Output Chart

20/11/15

Parents Name
UHID
Consultant Name

Name: Shikhar Mishra
Age: 10
Sex: M
Weight: 30 kg
Height: 140 cm

Consultant Name		Time				Temp		Pulse		Resp		B.P.		Spo2		Time		Name of Fluid / Medicine		Intake Quantity		Output		Remarks																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
																				IV		Oral		NG		Urine		Vomit		Aspi		Other																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
8 am	98.1	124	34	-	-	-	98.7	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm	8 pm



Pushpanjali Palace, Delhi Gate, Agra | Phone : 0582 - 4024000
e-mail : info@pushpanjalihospital.in | www.pushpanjalihospital.in

Pushpanjali



Previous day balance

Lab Investigation

Pul Oximetry

PT APTT

MEDICATION ADMINISTRED

Sr.No.	Medicine Name	Dose	Route	Frequency	Orders Given By Doctor
	Inj - Pip 20	1-125mg	I V	Q 4 HRLY	
	Inj - Aciloc	1ml	I V	12 HRLY	
	Inj - mikacin (250)	0.5mg	I V	12 HRLY	
	Inj - Sumel	200ml	I V	Q 4 HRLY	
	Inj - K-win	3mg	I V	Stat	
	Brushing				
	I.V.f - Iso-P	0.1	I V	24 HRLY	
	P.L	0.1			
	Inj - Condoxmed	1ml	Each	Drif	

Nursing Notes

Patient Received in ED
Checked the Vitals Sign

TRANSFER DETAILS :

Receiving Resident Doctor Name	Dr. Sheldens	Equipment Available
Transfer to Ward/HDU/ICU/CCU/CTVS/Diagnosis	PF CU	Handover of Documents & Records
Handover Given Nurse Name	Suman	
Receiving Nurse Name	Shweta	

Handover Vitals

Time IN	GCS	Pulse	BP	RR	SpO2	Te
	15/15	130/m	90/60	28/m	96%	98%

Handover Given Nurse :

Name & Sign.: SumanEmp. ID : 20954Date & Time : 28/11/25

Handover Receiving Nurse :

Name & Sign.: ShwetaEmp. ID : 20229Date & Time : 28/11/25
Pushpanjali
Hospital & Research Centre
NABH ACCREDITED


Pushpanjali Palace, Delhi Gate, Agra | Phone : 0562 - 4024000
e-mail : info@pushpanjalihospital.in | www.pushpanjalihospital.in

Name : KIAAN
 Lab No. : 489904586
 Ref By : DR MANISH SHARMA
 Collected : 30/11/2025 10:03:00AM
 A/c Status : P
 Collected at : LPL - PUSHPANJALI HOSPITAL (CGHS)
 DELHI GATE, HARIPARWAT, AGRA-282002
 AGRA

Age : 2 Years
 Gender : Male
 Reported : 30/11/2025 12:04:17PM
 Report Status : Final
 Processed at : Dr. Lal Path Labs Ltd
 Delhi Gate, Agra 282002

ID : 316193/FF-PICU/

Test Name	Test Report Results	Units	Bio. Ref. Interval
URINE EXAMINATION ROUTINE (ROUTINE R/E)			
Gross Examination			
Colour (Naked eye)	Light Yellow		Pale yellow
Specific Gravity (Pre-treated polymeric Ion Exchange resin)	1.010		1.001 - 1.030
pH (Double Indicator)	5.5		5.0 - 8.0
Proteins (Tetra Bromophenol)	Traces(10.0 mg/dL)		Negative
Glucose (Glucose oxidase peroxidase chromogen reaction)	Negative		Negative
Ketones (Sodium Nitroprusside)	Negative		Negative
Bilirubin (Diazonium salt)	Negative		Negative
Urobilinogen (Diazonium salt)	Normal		Normal
Blood (Tetramethyl benzidine)	Present 2+(50 RBC/ μ L)		Negative
Leucocyte Esterase (Carboxylic acid ester diazonium salt)	Negative		Negative
Nitrite (Sulfanilic acid Tetrahydro benzol)	NIL		Negative
Microscopy			
R.B.C (Centrifuged Urine)	>100 RBC/HPF		0-2 RBC/hpf
Pus Cells (Centrifuged Urine)	3-4 WBC/HPF		0-5 WBC / hpf
Epithelial Cells (Centrifuged Urine)	2-3 Epi Cells/hpf		0-5 Epi cells/hpf
Casts (Centrifuged Urine)	None seen		None seen/Lpf
Crystals (Centrifuged Urine)	None seen		None seen
Others (Centrifuged Urine)	None seen		None seen



Name : KIAAN
Lab No. : 489904271
Ref By : DR MANISH SHARMA
Collected : 29/11/2025 3:56:00PM
A/c Status : P
Collected at : LPL - PUSHPANJALI HOSPITAL (CGHS)
DELHI GATE, HARIPARWAT, AGRA-282002
AGRA

Age : 2 Years
Gender : Male
Reported : 29/11/2025 5:46:20PM
Report Status : Interim
Processed at : Dr. Lal Path Labs Ltd
Delhi Gate, Agra 282002

ID : 316193/FF-PICU/

Test Report

Test Name	Results	Units	Bio. Ref. Interval
Basophils (Calculated)	0.00	thou/mm ³	0.02 - 0.10
Platelet Count (Electrical Impedance)	268	thou/mm ³	200.00 - 490.00
Mean Platelet Volume (Calculated)	9.8	fL	6.5 - 12.0

Comment

In anaemic conditions Mentzer index is used to differentiate Iron Deficiency Anaemia from Beta- Thalassemia trait. If Mentzer Index value is >13 , there is probability of Iron Deficiency Anaemia. A value <13 indicates likelihood of Beta- Thalassemia trait and Hb HPLC is advised to rule out the Thalassemia trait.

Note

- As per the recommendation of International council for Standardization in Hematology, the differential leucocyte counts are additionally being reported as absolute numbers of each cell in per unit volume of blood
- Test conducted on EDTA whole blood

Authenticity assured - scan the QR code to access the original report from our verified database





Name : KIAAN
Lab No. : 489904271
Ref By : DR MANISH SHARMA
Collected : 29/11/2025 3:56:00PM
A/c Status : P
Collected at : LPL - PUSHPANJALI HOSPITAL (CGHS)
DELHI GATE, HARIPARWAT, AGRA-282002
AGRA

Age : 2 Years
Gender : Male
Reported : 29/11/2025 5:46:20PM
Report Status : Interim
Processed at : Dr. Lal Path Labs Ltd
Delhi Gate, Agra 282002

ID : 316193/FF-PICU/

Test Report

Test Name	Results	Units	Bio. Ref. Interval
COMPLETE BLOOD COUNT (CBC)			
Hemoglobin (Spectrophotometry)	12.80	g/dL	11.00 - 14.00
Packed Cell Volume (PCV) (Analogical Integration)	38.50	%	34.00 - 40.00
RBC Count (Electrical Impedance)	4.38	mill/mm ³	4.00 - 5.20
MCV (Calculated)	87.90	fL	75.00 - 87.00
Mentzer Index (Calculated)	20.1		
MCH (Calculated)	29.20	pg	24.00 - 30.00
MCHC (Calculated)	33.20	g/dL	31.00 - 37.00
Red Cell Distribution Width (RDW) (Calculated)	15.90	%	12.10 - 15.60
Total Leukocyte Count (TLC) (Electrical Impedance)	12.46	thou/mm ³	5.00 - 15.00
Differential Leucocyte Count (DLC)			
Segmented Neutrophils (Flow Cytometry & Electrical Impedance)	71.70	%	24.00 - 67.00
Lymphocytes (Flow Cytometry & Electrical Impedance)	23.80	%	28.00 - 64.00
Monocytes (Flow Cytometry & Electrical Impedance)	3.80	%	2.00 - 11.00
Eosinophils (Flow Cytometry & Electrical Impedance)	0.70	%	0.00 - 7.00
Basophils (Microscopy)	0.00	%	0.00 - 1.00
Absolute Leucocyte Count			
Neutrophils (Calculated)	8.93	thou/mm ³	1.50 - 8.00
Lymphocytes (Calculated)	2.97	thou/mm ³	6.00 - 9.00
Monocytes (Calculated)	0.47	thou/mm ³	0.20 - 1.00
Eosinophils (Calculated)	0.09	thou/mm ³	0.10 - 1.00



Dr. Lal Path Labs
Patient No. : 316193/FF-PICU/
Collected by : DR. MANISH SHARMA
Collected : 29/11/2025 3:56:00PM
A/c Status : P
Collected at : LPL - PUSHPANJALI HOSPITAL (CGHS)
DELHI GATE, HARIPARWAT, AGRA-282002
AGRA

Age : 2 Years
Gender : Male
Reported : 29/11/2025 5:46:27PM
Report Status : Interim
Processed at : Dr. Lal Path Labs Ltd
Delhi Gate, Agra 282002

Corporate ID : 316193/FF-PICU/

Test Report

Test Name	Results	Units	Bio. Ref. Interval
C-REACTIVE PROTEIN (CRP) (Immunoturbidimetry)	162.90	mg/L	<5.00

Note: Test conducted on serum

Dr. Shashi Gupta
MD Pathology
Chief of Laboratory
Dr. Lal Path Labs Ltd

Authenticity assured - scan the QR code to access the original report from our verified database

Result/s to follow:

KIDNEY FUNCTION TEST (KFT), C-REACTIVE PROTEIN (CRP)

IMPORTANT INSTRUCTIONS

*Test results released pertain to the specimen submitted. *All test results are dependent on the quality of the sample received by the Laboratory.
*Laboratory investigations are only a tool to facilitate in arriving at a diagnosis and should be clinically correlated by the Referring Physician. *Report delivery may be delayed due to unforeseen circumstances. Inconvenience is regretted. *Certain tests may require further testing at additional cost for derivation of exact value. Kindly submit request within 72 hours post reporting. *Test results may show interlaboratory variations. *The Courts/Forum at Delhi shall have exclusive jurisdiction in all disputes/claims concerning the test(s) & or results of test(s). *Test results are not valid for medico-legal purposes. *This is a computer-generated medical diagnostic report that has been validated by Authorized Medical Practitioner/Doctor. *The report does not need physical signature.

(If) Sample drawn from outside source

If Test results are alarming or unexpected, client is advised to contact the Customer Care immediately for possible remedial action.
Tel: +91-11-43655050 Fax: +91-11-2785-2134, E-mail: talpathlabs@lalpathlabs.com



Pushpanjali Hospital, Delhi Gate, Agra ☎ 9958759329



AN ISO 9001:2000 CERTIFIED BODY



Pushpanjali

Hospital & Research Centre
A COMPLETE MEDICAL & HEALTH CARE UNIT

In association with

Dr. Lal Path Labs
where testing and result report diagnostic chain

Name : Master KIAAN
Lab No. : 489904180
Ref By : DR MANISH SHARMA
Collected : 28/11/2025 10:34:00AM
A/c Status : P
Collected at : LPL - PUSHPANJALI HOSPITAL (CGHS)
DELHI GATE, HARIPARWAT, AGRA-282002
AGRA

Age : 2 Years
Gender : Male
Reported : 28/11/2025 12:35:47PM
Report Status : Final
Processed at : Dr. Lal Path Labs Ltd
Delhi Gate, Agra 282002

Test Report

Test Name	Results	Units	Bio. Ref. Interval
COMPLETE BLOOD COUNT (CBC)			
Hemoglobin (Spectrophotometry)	12.40	g/dL	11.00 - 14.00
Packed Cell Volume (PCV) (Analogical integration)	39.00	%	34.00 - 40.00
RBC Count (Electrical Impedance)	4.39	mill/mm3	4.00 - 5.20
MCV (Calculated)	88.80	fL	75.00 - 87.00
Mentzer Index (Calculated)	20.2		
MCH (Calculated)	28.10	pg	24.00 - 30.00
MCHC (Calculated)	31.70	g/dL	31.00 - 37.00
Red Cell Distribution Width (RDW) (Calculated)	16.40	%	12.3 - 17.0
Total Leukocyte Count (TLC) (Electrical Impedance)	16.22	thou/mm3	5.00 - 15.00
Differential Leucocyte Count (DLC)			
Segmented Neutrophils (Flow Cytometry & Electrical Impedance)	78.20	%	14.00 - 55.00
Lymphocytes (Flow Cytometry & Electrical Impedance)	19.80	%	37.00 - 79.00
Monocytes (Flow Cytometry & Electrical Impedance)	2.10	%	2.00 - 12.00
Eosinophils (Flow Cytometry & Electrical Impedance)	0.90	%	0.00 - 6.00
Basophils (Microscopy)	0.00	%	0.00 - 1.00
Absolute Leucocyte Count			
Neutrophils (Calculated)	12.68	thou/mm3	1.50 - 8.00
Lymphocytes (Calculated)	3.05	thou/mm3	6.00 - 9.00
Monocytes (Calculated)	0.34	thou/mm3	0.20 - 1.00
Eosinophils (Calculated)	0.15	thou/mm3	0.10 - 1.00



Pushpanjali Hospital, Delhi Gate, Agra 9958759329



AN ISO 9001:2000 CERTIFIED



Lab No. : KIAAN
489904271
Ref By : DR MANISH SHARMA
Collected : 29/11/2025 3:56:00PM
A/c Status : P
Collected at : LPL - PUSHPANJALI HOSPITAL (CGHS)
DELHI GATE, HARIPARWAT, AGRA-282002
AGRA

Age : 2 Years
Gender : Male
Reported : 29/11/2025 5:46:24PM
Report Status : Interim
Processed at : Dr. Lal Path Labs Ltd
Delhi Gate, Agra 282002

ID : 315193/FF-PICU/

Test Report

Test Name	Results	Units	Bio. Ref. Interval
KIDNEY FUNCTION TEST (KFT)			
Creatinine (Compensated Jaffes reaction, IDMS traceable)	0.39	mg/dL	0.30 - 0.70
Urea (Urease UV)	25.20	mg/dL	10.00 - 38.00
Urea Nitrogen Blood (Urease UV)	11.77	mg/dL	5.00 - 18.00
BUN/Creatinine Ratio (Calculated)	30		
Uric Acid (Uricase)	2.87	mg/dL	3.50 - 7.20
Total Protein (Biuret)		g/dL	5.80 - 7.50
Albumin (BCG)	3.01	g/dL	3.80 - 5.40
Globulin(Calculated)		gm/dL	1.6 - 3.5
A : G Ratio (Calculated)			0.90 - 2.00
Calcium, Total (Arsenazo III)	8.31	mg/dL	8.80 - 10.80
Phosphorus (Molybdate UV)	4.11	mg/dL	3.20 - 5.80
Sodium (Indirect ISE)	130.30	mEq/L	138.00 - 145.00
Potassium (Indirect ISE)	4.70	mEq/L	3.40 - 4.70
Chloride (Indirect ISE)	99.10	mEq/L	101.00 - 109.00

- Note
1. Estimated GFR (eGFR) calculated using the 2021 CKD-EPI creatinine equation and GFR Category reported as per KDIGO guideline 2012.
 2. eGFR category G1 or G2 does not fulfil the criteria for CKD, in the absence of evidence of kidney damage.
 3. The BUN-to-creatinine ratio is used to differentiate prerenal and postrenal azotemia from renal azotemia. Because of considerable variability, it should be used only as a rough guide. Normally, the BUN/creatinine ratio is about 10:1.
 4. Test conducted in Serum



Pushpanjali Hospital, Delhi Gate, Agra 9958759329



Pushpanjali

Hospital & Research Centre
A COMPLETE MEDICAL & HEALTH CARE UNIT

In association with

Dr Lal Path Labs
India's leading and most reputed diagnostic chain

Name : Master KIAAN
Lab No. : 409904180
Ref By : DR MANISH SHARMA
Collected : 28/11/2025 10:34:00AM
A/c Status : P
Collected at : LPL - PUSHPANJALI HOSPITAL (CGHS)
DELHI GATE, HARIPARWAT, AGRA-282002
AGRA

Age : 2 Years
Gender : Male
Reported : 28/11/2025 12:35:47PM
Report Status : Final
Processed at : Dr. Lal Path Labs Ltd
Delhi Gate, Agra 282002

Test Report

Test Name	Results	Units	Bio. Ref. Interval
-----------	---------	-------	--------------------

• Factor deficiencies

PROTHROMBIN TIME STUDIES (Nephelometric Clot Detection)

Mean Normal Prothrombin Time (PT)	11.88	sec	
Patient value	11.40	sec	10.74 - 13.02
Prothrombin Ratio (PR)	0.96		
International Normalized Ratio (INR)	0.95		0.90 - 1.10

Note

1. INR is the parameter of choice in monitoring adequacy of oral anticoagulant therapy. Appropriate therapeutic range varies with the disease and treatment intensity
2. Prolonged INR suggests potential bleeding disorder / bleeding complications
3. Results should be clinically correlated
4. Test conducted on Citrated plasma

UREA, SERUM (Urease UV)

Urea	24.80	mg/dL	10.00 - 38.00
BUN: Blood Urea Nitrogen	11.58	mg/dL	5.00 - 18.00

Authenticity assured - scan the QR code to access the original report from our verified database



Pushpanjali Hospital, Delhi Gate, Agra ☎ 9958759329



AN ISO 9001:2000 CERTIFIED HOSPITAL

No. : Master KIAAN
489904180
By : DR MANISH SHARMA
Collected : 28/11/2025 10:34:00AM
A/c Status : P
Collected at : LPL - PUSHANJALI HOSPITAL (CGH5)
DELHI GATE, HARIPARWAT, AGRA-282002
AGRA

Age : 2 Years
Gender : Male
Reported : 28/11/2025 12:35:47PM
Report Status : Final
Processed at : Dr. Lal Path Labs Ltd
Delhi Gate, Agra 282002

Test Report

Test Name	Results	Units	Bio. Ref. Interval
PARTIAL THROMBOPLASTIN TIME, ACTIVATED; APTT (Nephelometric Clot Detection)			
Patient Value	19.00	sec	22.29 - 33.90
Control Value	27.71	sec	

Result Rechecked,
Please Correlate Clinically.

Note

1. Degree of prolongation of PTT / APTT is neither predictive of bleeding risk nor underlying diagnosis
2. Results should be clinically correlated
3. Test conducted on Citrated plasma
4. Heparin therapeutic range is not established, for heparin monitoring Anti-Xa is recommended.

Comments

Partial Thromboplastin time (PTT / APTT) measures the proteins of the intrinsic coagulation pathway which consists of Factor XII, Prekallikrein, High molecular weight kininogen, Factors VIII, IX & XI. It also measures proteins of the common pathway namely factors II, V, X & Fibrinogen. PTT is prolonged when Factor VIII level is < 35-40% of normal and Factor XII & High molecular weight kininogen is < 10-15% of normal.

Abnormal Partial Thromboplastin Time

- Associated with bleeding: Defects of factors VIII, IX & XI
- Not associated with bleeding: Defects of factor XII, Prekallikrein, High molecular weight kininogen & Lupus anticoagulants

Causes of prolonged PTT / APTT

- Liver disease
- Consumptive coagulopathy
- Circulating anticoagulants including Lupus Anticoagulant
- Oral Anticoagulant therapy



Pushpanjali

Hospital & Research Centre
A COMPLETE MEDICAL & HEALTH CARE UNIT

In association with

Dr Lal Path Labs
India's leading and most reputed diagnostic chain

Lab No. : 489904180
Ref By : DR MANISH SHARMA
Collected : 28/11/2025 10:34:00AM
A/c Status : P
Collected at : LPL - PUSHANJALI HOSPITAL (CGHS)
DELHI GATE, HARIPARWAT, AGRA-282002
AGRA

Age : 2 Years
Gender : Male
Reported : 28/11/2025 12:35:47PM
Report Status : Final
Processed at : Dr. Lal Path Labs Ltd
Delhi Gate, Agra 282002

Test Report

Test Name	Results	Units	Bio. Ref. Interva
BILIRUBIN TOTAL, DIRECT & INDIRECT (Spectrophotometry)			
Bilirubin Total	0.33	mg/dL	0.30 - 1.20
Bilirubin Direct	0.06	mg/dL	<0.20
Bilirubin Indirect	0.27	mg/dL	<1.10

Note: Test conducted on serum



Pushpanjali Hospital, Delhi Gate, Agra ☎ 9958759329



AN ISO 9001:2015 CERTIFIED

Master: KJAH
Lab No: 489904180
Ref By: DR MANISH SHARMA
Collected: 28/11/2025 10:34:00AM
Acc Status: P
Collected at: LFL - PUSHANJALI HOSPITAL (CGHS)
DELHI GATE, HARIPARWAT, AGRA-282002
AGRA

Age: 2 Years
Gender: Male
Reported: 28/11/2025 12:35:47PM
Report Status: Final
Processed at: Dr. Lal Path Labs Ltd
Delhi Gate, Agra 282002

Test Report

Test Name	Results	Units	Bio. Ref. Interval
HEPATITIS B SURFACE ANTIGEN (HBsAg) RAPID SCREENING TEST (Sandwich Immunochromatography)	Non-Reactive		Non-Reactive

Interpretation

RESULT	REMARKS
Reactive	Indicates presence of Hepatitis B Surface Antigen.
Non-Reactive	Indicates absence of Hepatitis B Surface Antigen.

* All reactive results should be subjected to HBsAg Neutralization test which can be requested as Test Code S116

Note

1. This is a screening test and the result should be interpreted in conjunction with clinical findings and other diagnostic tests.
2. This assay is used for qualitative detection of Hepatitis B Surface Antigen (HBsAg) in serum samples and cannot differentiate between the stages of Hepatitis B viral infection. Detection of HBsAg may be observed in Hepatitis B viral infection for transient period of time after HBV vaccination.
3. The Hepatitis B Surface Antigen Rapid Test cannot detect less than 1 ng/mL of HBsAg in specimens. Sensitivity and Specificity of this HBsAg test by Immunochromatography is 99.8% and 99.2% respectively.
4. False negative reaction may be due to processing of sample collected early in the course of disease or presence of mutant forms of HBsAg.
5. For monitoring HBsAg levels, Quantitative HBsAg assay is recommended.
6. Test conducted on serum.

Comment

Hepatitis B Virus (HBV) is a member of the Hepadna virus family causing infections of the liver with variable clinical features. Hepatitis B is transmitted by blood and body fluids, sexually and from mother to fetus. In most cases HBV hepatitis is self limiting, but 1-2% adolescents and adults develop Chronic Hepatitis. Frequency of chronic HBV infection is 5-10% in immunocompromised patients and 80% in neonates.



Pushpanjali

Hospital & Research Centre
A COMPLETE MEDICAL & HEALTH CARE UNIT

Dr Lal Path Labs
India's leading and most trusted diagnostic chain

In association with

Name : Master KJAAN
Lab No. : 489904180
Ref By : DR MANISH SHARMA
Collected : 28/11/2025 10:34:00AM
A/c Status : P
Collected at : LPL - PUSHPANJALI HOSPITAL (CGHS)
DELHI GATE, HARIPARWAT, AGRA-282002
AGRA

Age : 2 Years
Gender : Male
Reported : 28/11/2025 12:35:47PM
Report Status : Final
Processed at : Dr. Lal Path Labs Ltd
Delhi Gate, Agra 282002

Test Report

Test Name	Results	Units	Bio. Ref. Interval
BLOOD GROUP ABO & RH FACTOR (Tube & Slide Agglutination)			
ABO Group	B		
Rh Factor	Positive		

Note: 1. Both forward and reverse grouping performed
2. Test conducted on EDTA whole blood

SGPT; ALANINE AMINOTRANSFERASE (ALT) (IFCC)	47.1	U/L	<50
--	------	-----	-----

Note: Test conducted in Serum

SODIUM, SERUM (Indirect ISE)	135.90	mEq/L	138.00 - 145.00
POTASSIUM, SERUM (Indirect ISE)	4.14	mEq/L	3.40 - 4.70



Pushpanjali Hospital, Delhi Gate, Agra ☎ 9958759329



AN ISO 9001:2000 CERTIFIED HOST

Marker KIAAN
489904180
DR MANISH SHARMA
28/11/2025 10:34:00AM
P

Age : 2 Years
Gender : Male
Reported : 28/11/2025 12:35:47PM
Report Status : Final

Collected at : LPL - PUSHPANJALI HOSPITAL (CGHS)
DELHI GATE, HARIPARWAT, AGRA-282002
AGRA

Processed at : Dr. Lal Path Labs Ltd
Delhi Gate, Agra 282002

Test Report

Test Name	Results	Units	Bio. Ref. Interval
HIV RAPID SCREENING TEST (Immunochromatography)	Non-Reactive		
Final Result :	Negative	Negative	

REMARKS	INTERPRETATION
Reactive	Indicates Presence of antibodies to HIV 1/2 virus
Non-Reactive	Indicates absence of antibodies to HIV 1/2 virus

It is advised to verify all positive results by conducting the supplemental HIV 1 and HIV2 antibody confirmation and differentiation, LIA (S315).

Note

1. Positive test result indicates antibody detected against HIV-1/2.
2. Negative test result indicates antibody is not detected against HIV- 1/2.
3. Indeterminate test result indicates antibody to HIV-1/2 have been detected in the sample by two of three methods.
4. False positive results may be observed in Autoimmune diseases, Alcoholic hepatitis, Primary biliary cirrhosis, Leprosy, Multiple pregnancies, Rheumatoid factor, and due to presence of heterophile antibodies.
5. False negative results may occur during the window period and during the end stage of the disease.

Recommendations

1. Post-test counseling available between 9 am to 5 pm at LPL laboratories.



Pushpanjali Hospital, Delhi Gate, Agra ☎ 9958759329

